



## ABOUT US

**INTRODUCTION**

Chandak Agro Equipments was established in 2002, with the aim to provide world's best technology & quality products to our customers and build a valuable relationship. It reflects in our motto “एक रिश्ता विश्वास का”.

We focus on quality to build unbreakable relationship with our consumers. Our products are manufactured on advanced machines like different kind of CNC center, turning center, high speed precision machining center, robots and other kinds of advanced equipments. We use latest technology for all processing covers machining, punching, welding, painting, assembling, final assembling, inspection, testing, verification that throughout the product manufacturing and life-cycle testing.

We have passed ISO 9001-2015 certification. We always try to deliver best products in its class.

**CORE PRODUCTS**

We have gradually developed into one of leading enterprises in India in agriculture machine & tools industry with our product such as **Battery Sprayer, Knapsack Power Sprayer, Power Sprayer, Spray Hose, Spray Guns, Chainsaw, Brush Cutter, Tiller, Weeding Machine, Earth Auger, Hammer, Nozzles, Filters & other accessories** with 17 years continue efforts and innovations.

## OUR BRANDS






CA-S22

## Power Sprayer

| MODEL NO.                  | CA-S22      |
|----------------------------|-------------|
| PISTON X DIAMETER X STROKE | 3 x 22 x 16 |
| IRRIGATION R.P.M           | 800-1000    |
| SUCTION (LPM)              | 14.5-18.5   |
| PRESSURE (Kgf/cm2)         | 15-35       |
| IRRIGATION R.P.M           | 1200-1400   |
| SUCTION (LPM)              | 21.8-25.4   |
| PRESSURE (Kgf/cm2)         | 15-35       |
| POWER (HP)                 | 1-2         |
| WEIGHT (KGS)               | 10          |



CA-S45

## Power Sprayer

| MODEL NO.                  | CA-S45      |
|----------------------------|-------------|
| PISTON X DIAMETER X STROKE | 3 x 30 x 20 |
| IRRIGATION R.P.M           | 700-900     |
| SUCTION (LPM)              | 39-50       |
| PRESSURE (Kgf/cm2)         | 15-35       |
| IRRIGATION R.P.M           | 1000-1200   |
| SUCTION (LPM)              | 55-66       |
| PRESSURE (Kgf/cm2)         | 10          |
| POWER (HP)                 | 3-5         |
| WEIGHT (KGS)               | 15          |




CA-S51

## Power Sprayer

| MODEL NO.                  | CA-S51      |
|----------------------------|-------------|
| PISTON X DIAMETER X STROKE | 3 x 32 x 32 |
| IRRIGATION R.P.M           | 600-800     |
| SUCTION (LPM)              | 47-63       |
| PRESSURE (Kgf/cm2)         | 15-35       |
| IRRIGATION R.P.M           | 900-1100    |
| SUCTION (LPM)              | 70-85       |
| PRESSURE (Kgf/cm2)         | 10          |
| POWER (HP)                 | 3-7         |
| WEIGHT (KGS)               | 22          |





CAG-S45

## Power Sprayer (Grease Free)

| MODEL NO.                  |                    | CAG - S45   |
|----------------------------|--------------------|-------------|
| PISTON X DIAMETER X STROKE |                    | 3 x 28 x 28 |
| IRRIGATION                 | R.P.M              | 800-950     |
|                            | SUCTION (LPM)      | 41-50       |
|                            | PRESSURE (Kgf/cm2) | 30-50       |
| IRRIGATION                 | R.P.M              | 1200        |
|                            | SUCTION (LPM)      | 62          |
|                            | PRESSURE (Kgf/cm2) | 27          |
| POWER (HP)                 |                    | 5           |
| WEIGHT (KGS)               |                    | 15          |



CH-S45

## Power Sprayer

| MODEL NO.                  |                    | CH-S45      |
|----------------------------|--------------------|-------------|
| PISTON X DIAMETER X STROKE |                    | 3 x 30 x 20 |
| IRRIGATION                 | R.P.M              | 700-900     |
|                            | SUCTION (LPM)      | 39-50       |
|                            | PRESSURE (Kgf/cm2) | 15-35       |
| IRRIGATION                 | R.P.M              | 1000-1200   |
|                            | SUCTION (LPM)      | 55-66       |
|                            | PRESSURE (Kgf/cm2) | 10          |
| POWER (HP)                 |                    | 3-5         |
| WEIGHT (KGS)               |                    | 15          |





CA - S767B

### Knapsack Power Sprayer

| MODEL NO.                                | CA-S767B   |
|------------------------------------------|------------|
| PISTON X DIAMETER X STROKE               | 1 x 18 x 8 |
| ENGINE TYPE                              | 2 Stroke   |
| PRESSURE (KGF/CM2)                       | 15-25      |
| SUCTION VOLUME (LPM)                     | 7.10       |
| TANK CAPACITY (LTR)                      | 25         |
| ENGINE (CC)                              | 26 CC      |
| TWO-CYCLE OIL/GASOLINE MIXING RATIO (ML) | 1:40       |
| WEIGHT (KGS)                             | 11         |



CA - S867B

### Knapsack Power Sprayer

| MODEL NO.                  | CA-S867B   |
|----------------------------|------------|
| PISTON X DIAMETER X STROKE | 1 x 18 x 8 |
| ENGINE TYPE                | 4 Stroke   |
| PRESSURE (KGF/CM2)         | 15-25      |
| SUCTION VOLUME (LPM)       | 7.10       |
| TANK CAPACITY (LTR)        | 25         |
| ENGINE (CC)                | 31 CC      |
| WEIGHT (KGS)               | 11         |



CA - S887B

### Knapsack Power Sprayer

| MODEL NO.                  | CA-S887B   |
|----------------------------|------------|
| PISTON X DIAMETER X STROKE | 1 x 18 x 8 |
| ENGINE TYPE                | 4 Stroke   |
| PRESSURE (KGF/CM2)         | 15-25      |
| SUCTION VOLUME (LPM)       | 7.10       |
| TANK CAPACITY (LTR)        | 25         |
| ENGINE (CC)                | 35.8 CC    |
| WEIGHT (KGS)               | 11         |




CA-S31GHB

**BRASS  
PUMP**

## Portable Power Sprayer

| MODEL NO.                  | CA-S31GHB  |
|----------------------------|------------|
| PISTON X DIAMETER X STROKE | 1 x 18 x 8 |
| PRESSURE (KGF/CM2)         | 15-25      |
| SUCTION VOLUME (LPM)       | 7.10       |
| TANK CAPACITY (LTR)        | -          |
| ENGINE (CC)                | 31 CC      |
| WEIGHT (KGS)               | 9.5        |



CA-S18EH

## Portable Power Sprayer

| MODEL NO.                  | CA-S18EH   |
|----------------------------|------------|
| PISTON X DIAMETER X STROKE | 1 x 18 x 8 |
| PRESSURE (KGF/CM2)         | 10-25      |
| SUCTION VOLUME (LPM)       | 7          |
| TANK CAPACITY (LTR)        | -          |
| POWER (KW)                 | 0.2        |
| WEIGHT (KGS)               | 9.5        |



**MADE IN  
KOREA**

## Spray Hose

| MODEL NO. | SIZE | ID (MM) | OD (MM)  | Packing (M)   |
|-----------|------|---------|----------|---------------|
| CA-H85100 | 8.5  | 8.5±0.6 | 14.5±0.5 | 100, 150, 200 |
| CA-H10100 | 10   | 10±0.7  | 16.5±0.5 | 100, 150, 200 |





CA - S16

## Battery Sprayer

| MODEL NO.                  | CA-S16-135 | CA - S16-240 |
|----------------------------|------------|--------------|
| WORKING PRESSURE (BAR)     | 4.0-5.5    | 4.0-6.5      |
| CAPACITY (LTR)             | 16         | 16           |
| MATCHED BATTERY            | 12V/8Ah    | 12V/12Ah     |
| RATED FLOW (LPM)           | 3.1        | 4            |
| WEIGHT (KGS)(WITH BATTERY) | 5.9        | 7            |



CA - S16-135

## Battery Sprayer

| MODEL NO.                  | CA-S16-135 | CA - S16-240 |
|----------------------------|------------|--------------|
| WORKING PRESSURE (BAR)     | 4.0-5.5    | 4.0-6.5      |
| CAPACITY (LTR)             | 16         | 16           |
| MATCHED BATTERY            | 12V/8Ah    | 12V/12Ah     |
| RATED FLOW (LPM)           | 3.1        | 4            |
| WEIGHT (KGS)(WITH BATTERY) | 5.9        | 7            |



CA - S16-135M

## Battery Sprayer

| MODEL NO.                  | CA-S16-135M | CA - S16-240M |
|----------------------------|-------------|---------------|
| WORKING PRESSURE (BAR)     | 4.0-5.5     | 4.0-6.5       |
| CAPACITY (LTR)             | 16          | 16            |
| MATCHED BATTERY            | 12V/8Ah     | 12V/12Ah      |
| RATED FLOW (LPM)           | 3.1         | 4             |
| WEIGHT (KGS)(WITH BATTERY) | 5.9         | 7             |





CA - CW2500E

## Car Washer

| MODEL NO.              | CA - CW2500E    | CA-CW3000EP     |
|------------------------|-----------------|-----------------|
| MOTOR TYPE             | Induction Motor | Induction Motor |
| POWER                  | 1800 W          | 1800 W          |
| WORKING PRESSURE (BAR) | 70-100          | 90-140          |
| FLOW (LPM)             | 8 Lpm           | 8 Lpm           |
| VOLTAGE                | 220 V           | 220 V           |
| FREQUENCY              | 50 HZ           | 50 HZ           |
| N.W./G.W.              | 9.8/10.8kg      | 12.9/13.8kg     |



CA - CS5800GM

## Chainsaw

| MODEL NO.                                | CA - CS5800G                |
|------------------------------------------|-----------------------------|
| ENGINE                                   | Two Stroke                  |
| ENGINE TYPE                              | Air Cooled, Single Cylinder |
| CYLINDER DISPLACEMENT                    | 58CC                        |
| OUTPUT POWER                             | 2.4kw/ 7800 RPM             |
| IDLING SPEED                             | 2800 RPM                    |
| FUEL TANK                                | 550ml                       |
| CHAIN OIL                                | 250ml                       |
| BAR & CHAIN                              | 22",0.325"0.058"            |
| CHAIN PITCH                              | 0.325                       |
| TWO-CYCLE OIL/GASOLINE MIXING RATIO (ML) | 1:40                        |
| N.W./G.W.                                | 7.0/8.0kg                   |





CA - BC31S



CA - BC31B

## Brush Cutter

| MODEL NO.              | CA - BC31S                       | CA - BC31B                       |
|------------------------|----------------------------------|----------------------------------|
| ENGINE                 | 4 Stroke                         | 4 Stroke                         |
| ENGINE TYPE            | Single Cylinder, Air-forced Cool | Single Cylinder, Air-forced Cool |
| CYLINDER DISPLACEMENT  | 31 cc                            | 31 cc                            |
| RATED POWER            | 0.85 kw / 8000 rpm               | 0.85 kw / 8000 rpm               |
| IDLING SPEED           | 2800 RPM                         | 2800 RPM                         |
| CARBURETOR             | Diaphragm Type                   | Diaphragm Type                   |
| FUEL TYPE              | Pure Petrol                      | Pure Petrol                      |
| FUEL TANK CAPACITY     | 1200 ml                          | 1200 ml                          |
| ENGINE OIL CAPACITY    | 100 ml                           | 100 ml                           |
| SHAFT DIAMETER         | 26 mm                            | 26 mm                            |
| STANDARD CUTTING TOOLS | Moving Head & 2T Blade           | Moving Head & 2T Blade           |
| N.W. /G.W.             | 8 / 9 kg                         | 8 / 9 kg                         |



CA - BC35B



CA - BC35S

## Brush Cutter

| MODEL NO.              | CA-BC35S                         | CA-BC35B                         |
|------------------------|----------------------------------|----------------------------------|
| ENGINE                 | 4 Stroke                         | 4 Stroke                         |
| ENGINE TYPE            | Single Cylinder, Air-forced Cool | Single Cylinder, Air-forced Cool |
| CYLINDER DISPLACEMENT  | 35.8 cc                          | 35.8 cc                          |
| RATED POWER            | 1.2 kw / 8000 rpm                | 1.2 kw / 8000 rpm                |
| IDLING SPEED           | 2800 RPM                         | 2800 RPM                         |
| CARBURETOR             | Diaphragm Type                   | Diaphragm Type                   |
| FUEL TYPE              | Pure Petrol                      | Pure Petrol                      |
| FUEL TANK CAPACITY     | 1250 ml                          | 1250 ml                          |
| ENGINE OIL CAPACITY    | 100 ml                           | 100 ml                           |
| SHAFT DIAMETER         | 26 mm                            | 26 mm                            |
| STANDARD CUTTING TOOLS | Moving Head & 2T Blade           | Moving Head & 2T Blade           |
| N.W. /G.W.             | 8 / 9 kg                         | 8 / 9 kg                         |





CA-BC520SM

## Multi-Tool

| MODEL NO.                                | CA-BC520SM                       |
|------------------------------------------|----------------------------------|
| ENGINE                                   | 2 Stroke                         |
| ENGINE TYPE                              | Single Cylinder, Air-forced Cool |
| CYLINDER DISPLACEMENT                    | 51.7 CC                          |
| RATED POWER                              | 1.45 kw / 8000 rpm               |
| IDLING SPEED                             | 2800 RPM                         |
| CARBURETOR                               | Diaphragm type                   |
| FUEL TYPE                                | 2T Mix with Petrol               |
| FUEL TANK CAPACITY                       | 1250 ml                          |
| TWO-CYCLE OIL/GASOLINE MIXING RATIO (ML) | 1:40                             |
| SHAFT DIAMETER                           | 26 mm                            |
| N.W. /G.W.                               | 11 / 12 kg                       |



TILLER



WEEDING - A



WEEDING - B

## Brush Cutter Hand Push



CA-BC5200HP

| MODEL NO.                                | CA-BC5200HP                      |
|------------------------------------------|----------------------------------|
| ENGINE                                   | 2 Stroke                         |
| ENGINE TYPE                              | Single Cylinder, Air-forced Cool |
| CYLINDER DISPLACEMENT                    | 52 CC                            |
| RATED POWER                              | 1.45 kw / 8000 rpm               |
| IDLING SPEED                             | 2800 RPM                         |
| CARBURETOR                               | Diaphragm Type                   |
| FUEL TYPE                                | 2T Mix with Petrol               |
| FUEL TANK CAPACITY                       | 1250 ml                          |
| TWO-CYCLE OIL/GASOLINE MIXING RATIO (ML) | 1:40                             |
| SHAFT DIAMETER                           | 26 mm                            |
| N.W. /G.W.                               | 11 / 12 kg                       |

## Weeding Machine



CA - W5200B

| MODEL NO.                                | CA - W5200B                      |
|------------------------------------------|----------------------------------|
| ENGINE                                   | 2 Stroke                         |
| ENGINE TYPE                              | Single Cylinder, Air-forced Cool |
| CYLINDER DISPLACEMENT                    | 52 cc                            |
| RATED POWER                              | 1.5 kw / 6500 rpm                |
| IDLING SPEED                             | 2800 RPM                         |
| CARBURETOR                               | Diaphragm Type                   |
| FUEL TYPE                                | 2T Mix with Petrol               |
| FUEL TANK CAPACITY                       | 1200 ml                          |
| TWO-CYCLE OIL/GASOLINE MIXING RATIO (ML) | 1:40                             |
| SHAFT DIAMETER                           | 26 mm                            |
| N.W. /G.W.                               | 8 / 9 kg                         |



CA - EA5200

## Earth Auger

| MODEL NO.                                | CA - EA5200                      |
|------------------------------------------|----------------------------------|
| ENGINE                                   | Two Stroke                       |
| ENGINE TYPE                              | Air Cooled, Single Cylinder      |
| CYLINDER DISPLACEMENT                    | 52 CC                            |
| OUTPUT POWER                             | 1.5kw/ 2800 RPM                  |
| IDLING SPEED                             | 2800 RPM                         |
| FUEL TANK                                | 550ml                            |
| TWO-CYCLE OIL/GASOLINE MIXING RATIO (ML) | 1:40                             |
| N.W./G.W.                                | 7.0/8.0kg                        |
| AVAILABLE DRILL DIA (MM)                 | 80, 100, 150, 200, 250, 300, 350 |



CA - T5200

## Tiller


| MODEL NO.                                | CA - T5200                  |
|------------------------------------------|-----------------------------|
| ENGINE                                   | Two Stroke                  |
| ENGINE TYPE                              | Air Cooled, Single Cylinder |
| CYLINDER DISPLACEMENT                    | 52 CC                       |
| OUTPUT POWER                             | 1.5kw/ 2800 RPM             |
| IDLING SPEED                             | 2800 RPM                    |
| FUEL TANK                                | 550ml                       |
| TWO-CYCLE OIL/GASOLINE MIXING RATIO (ML) | 1:40                        |
| N.W./G.W.                                | 7.0/8.0kg                   |




CA - T6300

## Tiller

| MODEL NO.                                | CA - T6300                  |
|------------------------------------------|-----------------------------|
| ENGINE                                   | Two Stroke                  |
| ENGINE TYPE                              | Air Cooled, Single Cylinder |
| CYLINDER DISPLACEMENT                    | 63 CC                       |
| OUTPUT POWER                             | 1.9 kw/ 2800 RPM            |
| IDLING SPEED                             | 2800 RPM                    |
| FUEL TANK                                | 550 ml                      |
| TWO-CYCLE OIL/GASOLINE MIXING RATIO (ML) | 1:40                        |
| N.W./G.W.                                | 7.0/8.0kg                   |



CV - S30



CV - S55



CV - S55GF

## Power Sprayer

| MODEL NO.                  |                    | CV - S30    |
|----------------------------|--------------------|-------------|
| PISTON X DIAMETER X STROKE |                    | 3 x 22 x 16 |
| SPRAYER                    | R.P.M              | 800-1000    |
|                            | SUCTION (LPM)      | 14.5-18.5   |
|                            | PRESSURE (Kgf/cm2) | 15-35       |
| IRRIGATION                 | R.P.M              | 1200-1400   |
|                            | SUCTION (LPM)      | 21.8-25.4   |
|                            | PRESSURE (Kgf/cm2) | 15-35       |
| POWER (HP)                 |                    | 1-2         |
| WEIGHT (KGS)               |                    | 7.6         |

## Power Sprayer

| MODEL NO.                  |                    | CV -S55     |
|----------------------------|--------------------|-------------|
| PISTON X DIAMETER X STROKE |                    | 3 x 30 x 20 |
| SPRAYER                    | R.P.M              | 800-1000    |
|                            | SUCTION (LPM)      | 45-55       |
|                            | PRESSURE (Kgf/cm2) | 15-35       |
| IRRIGATION                 | R.P.M              | 1000-1200   |
|                            | SUCTION (LPM)      | 55-65       |
|                            | PRESSURE (Kgf/cm2) | 15-35       |
| POWER (HP)                 |                    | 3-5         |
| WEIGHT (KGS)               |                    | 13          |

## Power Sprayer (Grease Free)

| MODEL NO.                  |                    | CV -S55GF   |
|----------------------------|--------------------|-------------|
| PISTON X DIAMETER X STROKE |                    | 3 x 30 x 20 |
| SPRAYER                    | R.P.M              | 800-1000    |
|                            | SUCTION (LPM)      | 45-55       |
|                            | PRESSURE (Kgf/cm2) | 15-35       |
| IRRIGATION                 | R.P.M              | 1000-1200   |
|                            | SUCTION (LPM)      | 55-65       |
|                            | PRESSURE (Kgf/cm2) | 15-35       |
|                            | POWER (HP)         | 3-5         |
| WEIGHT (KGS)               |                    | 13          |





CV - S80

## Power Sprayer

| MODEL NO.                  |                    | CV - S80    |
|----------------------------|--------------------|-------------|
| PISTON X DIAMETER X STROKE |                    | 3 x 34 x 26 |
| SPRAYER                    | R.P.M              | 600-800     |
|                            | SUCTION (LPM)      | 60-80       |
|                            | PRESSURE (Kgf/cm2) | 15-35       |
| IRRIGATION                 | R.P.M              | 900-1100    |
|                            | SUCTION (LPM)      | 90-100      |
|                            | PRESSURE (Kgf/cm2) | 10          |
| POWER (HP)                 |                    | 3-7         |
| WEIGHT (KGS)               |                    | 23          |



CV - S120

## Power Sprayer

| MODEL NO.                  |                    | CV - S120   |
|----------------------------|--------------------|-------------|
| PISTON X DIAMETER X STROKE |                    | 3 x 38 x 38 |
| SPRAYER                    | R.P.M              | 800-1000    |
|                            | SUCTION (LPM)      | 75-125      |
|                            | PRESSURE (Kgf/cm2) | 10-60       |
| IRRIGATION                 | R.P.M              | 1000        |
|                            | SUCTION (LPM)      | 125         |
|                            | PRESSURE (Kgf/cm2) | 60          |
| POWER (HP)                 |                    | 5-10        |
| WEIGHT (KGS)               |                    | 32          |



CV - S150

## Power Sprayer

| MODEL NO.                  |                    | CV - S150   |
|----------------------------|--------------------|-------------|
| PISTON X DIAMETER X STROKE |                    | 3 x 45 x 45 |
| SPRAYER                    | R.P.M              | 600-800     |
|                            | SUCTION (LPM)      | 125-170     |
|                            | PRESSURE (Kgf/cm2) | 10-40       |
| IRRIGATION                 | R.P.M              | 800-1000    |
|                            | SUCTION (LPM)      | 125         |
|                            | PRESSURE (Kgf/cm2) | 10          |
| POWER (HP)                 |                    | 10-11       |
| WEIGHT (KGS)               |                    | 43          |



CV - S767B

## Knapsack Power Sprayer

| MODEL NO.                                | CV - S767B |
|------------------------------------------|------------|
| PISTON X DIAMETER X STROKE               | 1 x 18 x 8 |
| ENGINE TYPE                              | 2 Stroke   |
| PRESSURE (KGF/CM2)                       | 1.5-2.5    |
| SUCTION VOLUME (LPM)                     | 7.1        |
| TANK CAPACITY (LTR)                      | 25         |
| POWER (KW) / ENGINE (CC)                 | 26         |
| TWO-CYCLE OIL/GASOLINE MIXING RATIO (ML) | 1:40       |
| WEIGHT (KGS)                             | 11         |



CV - S867B

## Knapsack Power Sprayer

| MODEL NO.                  | CV - S867B |
|----------------------------|------------|
| PISTON X DIAMETER X STROKE | 1 x 18 x 8 |
| ENGINE TYPE                | 4 Stroke   |
| PRESSURE (KGF/CM2)         | 1.5-2.5    |
| SUCTION VOLUME (LPM)       | 7.1        |
| TANK CAPACITY (LTR)        | 25         |
| ENGINE (CC)                | 31         |
| WEIGHT (KGS)               | 11         |



CV - S16-135 / 240

## Battery Sprayer

| MODEL NO.                  | CV - S16-135   | CV - S16-240   |
|----------------------------|----------------|----------------|
| WORKING PRESSURE (BAR)     | 4.0-5.5        | 4.0-6.5        |
| CAPACITY (LTR)             | 16             | 16             |
| MATCHED BATTERY            | 12V/8Ah        | 12V/12Ah       |
| RATED FLOW (LPM)           | 3.1            | 4              |
| DIMENSION (CM)             | 39 x 19.5 x 48 | 39 x 19.5 x 48 |
| WEIGHT (KGS)(WITH BATTERY) | 5.9            | 7              |



## Spray Hose (5 Ply)

| MODEL NO. | SIZE | ID (MM) | OD (MM)  | Packing (M)  |
|-----------|------|---------|----------|--------------|
| CV-H85100 | 8.5  | 8.5±0.6 | 14.5±0.5 | 50, 100, 150 |
| CV-H10100 | 10   | 10±0.7  | 16.5±0.5 | 50, 100, 150 |



## Spray Hose (Braided)

| MODEL NO.  | SIZE | ID (MM) | OD (MM)  | Packing (M) |
|------------|------|---------|----------|-------------|
| CV-H85100S | 8.5  | 8.5±0.6 | 14.5±0.5 | 100         |
| CV-H10100S | 10   | 10±0.7  | 16.5±0.5 | 100         |



CV - CS5800G

## Chainsaw

| MODEL NO.                                | CV - CS5800G                |
|------------------------------------------|-----------------------------|
| ENGINE                                   | Two Stroke                  |
| ENGINE TYPE                              | Air Cooled, Single Cylinder |
| CYLINDER DISPLACEMENT                    | 58CC                        |
| OUTPUT POWER                             | 2.4kw/ 7800 RPM             |
| IDLING SPEED                             | 2800 RPM                    |
| FUEL TANK                                | 550ml                       |
| CHAIN OIL                                | 250ml                       |
| BAR & CHAIN                              | 22",0.325"0.058"            |
| CHAIN PITCH                              | 0.325                       |
| TWO-CYCLE OIL/GASOLINE MIXING RATIO (ML) | 1:40                        |
| N.W./G.W.                                | 7.5/8.5kg                   |



CV - CW2000E

## Car Washer

| MODEL NO.              | CV - CW2000E    |
|------------------------|-----------------|
| MOTOR TYPE             | Induction Motor |
| POWER                  | 1800 W          |
| WORKING PRESSURE (BAR) | 70-100          |
| FLOW (LPM)             | 8 Lpm           |
| VOLTAGE                | 220 V           |
| FREQUENCY              | 50 HZ           |
| N.W./G.W.              | 9.8/10.8kg      |





CL - S350

## Power Sprayer

| MODEL NO.                  |                                 | CL - S350   |
|----------------------------|---------------------------------|-------------|
| PISTON X DIAMETER X STROKE |                                 | 3 x 30 x 20 |
| SPRAYER                    | R.P.M                           | 800-1000    |
|                            | SUCTION (LPM)                   | 45-55       |
|                            | PRESSURE (Kgf/cm <sup>2</sup> ) | 15-35       |
| IRRIGATION                 | R.P.M                           | 1000-1200   |
|                            | SUCTION (LPM)                   | 55-65       |
|                            | PRESSURE (Kgf/cm <sup>2</sup> ) | 15-35       |
| POWER (HP)                 |                                 | 3-5         |
| WEIGHT (KGS)               |                                 | 13          |



CL - S16

## Battery Sprayer

| MODEL NO.                  | CL-S16-135 | CL-S16-240 |
|----------------------------|------------|------------|
| WORKING PRESSURE (BAR)     | 4.0-5.5    | 4.0-6.5    |
| CAPACITY (LTR)             | 16         | 16         |
| MATCHED BATTERY            | 12V/8Ah    | 12V/12Ah   |
| RATED FLOW (LPM)           | 3.1        | 4          |
| WEIGHT (KGS)(WITH BATTERY) | 5.9        | 7          |



## Spray Hose (3 Ply)

| MODEL NO. | SIZE | ID (MM) | OD (MM)  | Packing (M) |
|-----------|------|---------|----------|-------------|
| CL-H85100 | 8.5  | 8.5±0.6 | 14.5±0.5 | 50, 100     |
| CL-H10100 | 10   | 10±0.7  | 16.5±0.5 | 50, 100     |



CS - D55

## Power Sprayer

| MODEL NO.                  |                    | CS - D55    |
|----------------------------|--------------------|-------------|
| PISTON X DIAMETER X STROKE |                    | 3 x 30 x 20 |
| SPRAYER                    | R.P.M              | 800-1000    |
|                            | SUCTION (LPM)      | 45-55       |
|                            | PRESSURE (Kgf/cm2) | 15-35       |
| IRRIGATION                 | R.P.M              | 1000-1200   |
|                            | SUCTION (LPM)      | 55-65       |
|                            | PRESSURE (Kgf/cm2) | 15-35       |
|                            | POWER (HP)         | 3-5         |
|                            | WEIGHT (KGS)       | 13          |



CS - R55

## Power Sprayer

| MODEL NO.                  |                    | CS - R55    |
|----------------------------|--------------------|-------------|
| PISTON X DIAMETER X STROKE |                    | 3 x 30 x 20 |
| SPRAYER                    | R.P.M              | 800-1000    |
|                            | SUCTION (LPM)      | 45-55       |
|                            | PRESSURE (Kgf/cm2) | 15-35       |
| IRRIGATION                 | R.P.M              | 1000-1200   |
|                            | SUCTION (LPM)      | 55-65       |
|                            | PRESSURE (Kgf/cm2) | 15-35       |
|                            | POWER (HP)         | 3-5         |
|                            | WEIGHT (KGS)       | 13          |



CS - H60

## Power Sprayer

| MODEL NO.                  |                    | CS - H60    |
|----------------------------|--------------------|-------------|
| PISTON X DIAMETER X STROKE |                    | 3 x 30 x 20 |
| SPRAYER                    | R.P.M              | 800-1000    |
|                            | SUCTION (LPM)      | 45-55       |
|                            | PRESSURE (Kgf/cm2) | 15-35       |
| IRRIGATION                 | R.P.M              | 1000-1200   |
|                            | SUCTION (LPM)      | 55-65       |
|                            | PRESSURE (Kgf/cm2) | 15-35       |
|                            | POWER (HP)         | 3-5         |
|                            | WEIGHT (KGS)       | 12          |



CP - S65



CP-S80



RK - 55

## Power Sprayer

| MODEL NO.                  |                    | CP - S65    |
|----------------------------|--------------------|-------------|
| PISTON X DIAMETER X STROKE |                    | 3 x 30 x 20 |
| SPRAYER                    | R.P.M              | 800-1000    |
|                            | SUCTION (LPM)      | 45-55       |
|                            | PRESSURE (Kgf/cm2) | 15-55       |
| IRRIGATION                 | R.P.M              | 1200        |
|                            | SUCTION (LPM)      | 66          |
|                            | PRESSURE (Kgf/cm2) | 15          |
| POWER (HP)                 |                    | 4-7         |
| WEIGHT (KGS)               |                    | 14          |

## Power Sprayer

| MODEL NO.                  |                    | CP-S80      |
|----------------------------|--------------------|-------------|
| PISTON X DIAMETER X STROKE |                    | 3 x 34 x 26 |
| SPRAYER                    | R.P.M              | 600-800     |
|                            | SUCTION (LPM)      | 60-80       |
|                            | PRESSURE (Kgf/cm2) | 15-35       |
| IRRIGATION                 | R.P.M              | 900-1100    |
|                            | SUCTION (LPM)      | 90-100      |
|                            | PRESSURE (Kgf/cm2) | 10          |
| POWER (HP)                 |                    | 3-7         |
| WEIGHT (KGS)               |                    | 23          |

## Power Sprayer

| MODEL NO.                  |                    | RK - 55     |
|----------------------------|--------------------|-------------|
| PISTON X DIAMETER X STROKE |                    | 3 x 30 x 20 |
| SPRAYER                    | R.P.M              | 800-1000    |
|                            | SUCTION (LPM)      | 45-55       |
|                            | PRESSURE (Kgf/cm2) | 15-35       |
| IRRIGATION                 | R.P.M              | 1000-1200   |
|                            | SUCTION (LPM)      | 55-65       |
|                            | PRESSURE (Kgf/cm2) | 15-35       |
| POWER (HP)                 |                    | 3-5         |
| WEIGHT (KGS)               |                    | 12          |





LX - 330

## Power Sprayer


| MODEL NO.                  |                    | LX - 330    |
|----------------------------|--------------------|-------------|
| PISTON X DIAMETER X STROKE |                    | 3 x 30 x 20 |
| SPRAYER                    | R.P.M              | 800-1000    |
|                            | SUCTION (LPM)      | 45-55       |
|                            | PRESSURE (Kgf/cm2) | 15-35       |
| IRRIGATION                 | R.P.M              | 1000-1200   |
|                            | SUCTION (LPM)      | 55-65       |
|                            | PRESSURE (Kgf/cm2) | 15-35       |
| POWER (HP)                 |                    | 3-5         |
| WEIGHT (KGS)               |                    | 13          |



CS - J55

## Power Sprayer

| MODEL NO.                  |                    | CS - J55    |
|----------------------------|--------------------|-------------|
| PISTON X DIAMETER X STROKE |                    | 3 x 30 x 20 |
| SPRAYER                    | R.P.M              | 800-1000    |
|                            | SUCTION (LPM)      | 45-55       |
|                            | PRESSURE (Kgf/cm2) | 15-35       |
| IRRIGATION                 | R.P.M              | 1000-1200   |
|                            | SUCTION (LPM)      | 55-65       |
|                            | PRESSURE (Kgf/cm2) | 15-35       |
| POWER (HP)                 |                    | 3-5         |
| WEIGHT (KGS)               |                    | 12          |



CS - J80

## Power Sprayer

| MODEL NO.                  |                    | CS - J80    |
|----------------------------|--------------------|-------------|
| PISTON X DIAMETER X STROKE |                    | 3 x 34 x 26 |
| SPRAYER                    | R.P.M              | 600-800     |
|                            | SUCTION (LPM)      | 60-80       |
|                            | PRESSURE (Kgf/cm2) | 15-35       |
| IRRIGATION                 | R.P.M              | 900-1100    |
|                            | SUCTION (LPM)      | 90-100      |
|                            | PRESSURE (Kgf/cm2) | 10          |
| POWER (HP)                 |                    | 3-7         |
| WEIGHT (KGS)               |                    | 23          |





CG-K30



CG-K45



CG-L30




CG-L60



CG-L90



CG-L120



CF-A 600



CF-P 600



CA-GJ40



CA-GJ60



CA-GT50

CG-M30



CG-M60



CG-M90



CG-P60



CG-VT60



CG-V30



CG-V60



Turbine Gun





“

THIS FARM IS MORE THAN LAND AND CROPS.  
IT'S OUR FAMILY HERITAGE AND FUTURE.

”



CHANDAK

एक रिश्ता विश्वास का...







## CHANDAK AGRO EQUIPMENT

**Address :** D-11, RIICO Industrial Area, Phase - 1  
Hanumangarh Junction - 335512, Rajasthan, INDIA  
**Phone :** +91-1552-268750, **Fax :** +91-1552-269350  
**E-mail :** [info@chandakagro.com](mailto:info@chandakagro.com)  
**Web :** [www.chandakagro.com](http://www.chandakagro.com)

